UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/509,809	05/19/2005	Paul Eaton Willett	CASM123585	8339

26389   7590   02/03/2009
CHRISTENSEN, O'CONNOR, JOHNSON, KINDNESS, PLLC
1420 FIFTH AVENUE
SUITE 2800
SEATTLE, WA 98101-2347

EXAMINER
BOYCE, ANDRE D

ART UNIT	PAPER NUMBER
3623	

MAIL DATE	DELIVERY MODE
02/03/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

	Application No.	Applicant(s)
Office Action Summary	10/509,809	WILLETT, PAUL EATON
	Examiner	Art Unit
	Andre Boyce	3623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE *3* MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *18 November 2008*.
2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.
3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-7 and 9-28* is/are pending in the application.
    4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5)☐ Claim(s) _____ is/are allowed.
6)☒ Claim(s) *1-7 and 9-28* is/are rejected.
7)☐ Claim(s) _____ is/are objected to.
8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.
10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.
    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    a)☐ All b)☐ Some * c)☐ None of:
      1.☐ Certified copies of the priority documents have been received.
      2.☐ Certified copies of the priority documents have been received in Application No. _____.
      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)
1)☐ Notice of References Cited (PTO-892)
2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3)☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.
4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.
5)☐ Notice of Informal Patent Application
6)☐ Other: _____.

DETAILED ACTION

Response to Amendment

1.   This Final office action is in response to Applicant's amendment filed November 18, 2008. Claims 1, 3-5, 12, 14, 17, 18, 21, 23 and 26 have been amended, while claims 27 and 28 have been added. Claims 1-7 and 9-28 are pending.

2.   Applicant's arguments filed November 18, 2008 have been fully considered but they are not persuasive.

3.   The previously pending rejections to claims 4, 5, 14-18 and 23-26 under 35 USC 112, second paragraph, have been withdrawn.

Claim Rejections - 35 USC § 112

4.   The following is a quotation of the second paragraph of 35 U.S.C. 112:

> The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5.   Claim 3 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 3 recites the limitation "the production schedule." There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 101

6.   35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

7.   Claims 1-7 and 9-11 are rejected under 35 U.S.C. 101 based on Supreme Court precedent, and recent Federal Circuit decisions. For a process to be patentable subject matter under § 101 the process must (1) be tied to a particular machine or apparatus or (2) transform a particular article to a different state or thing. See *In re Bilski*, 545 F.3d 943, 88 USPQ2d 1385 (Fed. Cir. 2008); *Diamond v. Diehr*, 450 US 175, 184 (1981); *Parker v Flook*, 437 US 584, 588 n9 (1978); *Gottschalk v. Benson*, 409 U.S. 63, 70 (1972). If neither of these requirements is met by the claim, the method is not a patent eligible process.

In the present case, claim 1 recites the steps of in response to inputting the number and type of bakery products to be produced into the computer, organizing, calculating, etc., and displaying ... on a computer display. However, the steps of inputting into a computer, and displaying on a computer display are considered insignificant extra-solution activity and are not sufficient to pass the test. See *In re Bilski*, 545 F.3d 943, 88 USPQ2d 1385 (Fed. Cir. 2008).

Claims 2-7 and 9-11 are rejected since they depend therefrom and lack the sufficient tie.

Claim Rejections - 35 USC § 103

8.   The text of those sections of Title 35, U.S. Code not included in this action can

be found in a prior Office action.

9.   Claims 1-7, 9, 10 and 12-28 rejected under 35 U.S.C. 103(a) as being

unpatentable over Walser et al (US-PAT-NO: US 6,560,501 B1), in view of Bush et

al. (Pepperidge Farm's "Project Freshness." Integrated process controls plus

automated ingredient and package handling cut waste, save time and enable paired

Lakeland, Fla., bread and biscuit plants to bake and ship the same day; Prepared

Foods , v158 , n2 , p122(3); Feb 1989), and further in view of Lowry et al (PGPUB-

NO: US 2002/0001649 A1).

Claim 1:

Walser, as shown, discloses the following limitations:

A computer-implemented method of producing a production run schedule of

products, the method including the steps of:

*   *in response to determining the number and type products to be produced,*

    determining the type and size of each product (see at least column 1, lines 27-

    32: "Computer implemented planning and scheduling systems are often used for

    manufacturing and other supply chain planning functions. In general, such

    systems can model the manufacturing and related environments and provide

    plans or schedules for producing items to fulfill consumer demand within the

    constraints of the environment.", column 1, lines 54-59: "According to one

embodiment of the present invention, a computer-based system for aggregating

and scheduling product batches includes a batch aggregation engine that

allocates one or more product demands to one or more product batches having

suggested sizes and suggested starting times.", column 4, lines 31-32: "Input 16

may also include one or more demands for a product ...", and Figures 3 and 4

and associated text. Walser discloses determining a demand for a product and

provides an example in which a demand for paints (color and size/volume) is

determined.);

- *organizing each product into a group according to the type of the product* (see at

  least column 1, lines 27-32: "Computer implemented planning and scheduling

  systems are often used for manufacturing and other supply chain planning

  functions. In general, such systems can model the manufacturing and related

  environments and provide plans or schedules for producing items to fulfill

  consumer demand within the constraints of the environment.", column 1, lines

  54-59: "According to one embodiment of the present invention, a computer-

  based system for aggregating and scheduling product batches includes a batch

  aggregation engine that allocates one or more product demands to one or more

  product batches having suggested sizes and suggested starting times.", column

  4, lines 31-32: "Input 16 may also include one or more demands for a product...",

  and Figures 3 and 4 and associated text. Walser discloses determining

  demands for types of products and provides an example in which the demand

  consists of multiple colors of paints);

- *calculating a total* volume *for each product to be produced* (see at least column 1, lines 27-32: "Computer implemented planning and scheduling systems are often used for manufacturing and other supply chain planning functions. In general, such systems can model the manufacturing and related environments and provide plans or schedules for producing items to fulfill consumer demand within the constraints of the environment.", column 1, lines 54-59: "According to one embodiment of the present invention, a computer-based system for aggregating and scheduling product batches includes a batch aggregation engine that allocates one or more product demands to one or more product batches having suggested sizes and suggested starting times.", column 4, lines 31-32: "Input 16 may also include one or more demands for a product ...", column 13, lines 38-40: "Batch aggregation engine 20 outputs the suggested size and time of batch 50 to scheduling engine 30 ...", and Figures 3 and 4 and associated text. Walser discloses determining the total size of product to be produced and provides an example of producing paint batches of varying sizes/volumes (weight) to meet the demand.)*;*

- *calculating the number of full batches that can be produced of each type of product, a full batch being based on consumption, and the size of the mixing apparatus* (see at least abstract: "A computer-based system (10) for aggregating and scheduling product batches (50) includes a batch aggregation engine (20) that allocates one or more product demands (40) to one or more product batches (50) having suggested sizes and suggested starting times.", column 1, lines 14-

19" The manufacture of products or other items commonly involves a multi-stage

process that includes the use of equipment of various capacities. In such a multi-

stage, variable equipment size process, product or end-item demands are often

aggregated or split into manufacturing batches in order to fit the available

equipment sizes.", column 2, lines 57-59: "The present invention also reduces

the quantity of work-in-process, minimizes end-item inventory, and reduces

product shortages and late deliveries.", column 6, lines 23-27: "As an example,

penalties 36 may include, but are not limited to, a penalty for deviating from a

certain scheduled batch size to encourage the full use of one or more pieces of

production equipment over a specified time period", column 13, lines 38-40:

"Batch aggregation engine 20 outputs the suggested size and time of batch 50 to

scheduling engine 30 ...", and Figures 3 and 4 and associated text. Walser

discloses provides an example in which batches are created that use the entire

capacity of their tanks as well as minimize product shortages and product

inventories.);

- *calculating a* volume *that cannot be produced in a full batch* (see at least

  abstract: "A computer-based system (10) for aggregating and scheduling product

  batches (50) includes a batch aggregation engine (20) that allocates one or more

  product demands (40) to one or more product batches (50) having suggested

  sizes and suggested starting times.", column 3, lines 35-43: "All forms of the

  term "aggregate" should be interpreted to include splitting or dividing a product

  demand between multiple batches, as well as combining product demands into a

batch. In one embodiment, as described more fully below, batch aggregation engine 20 uses mixed-integer linear programming (MILP) to optimize the aggregation of product demands into batches to meet various manufacturing, shipping, customer or other related criteria.", column 13, lines 38-40: "Batch aggregation engine 20 outputs the suggested size and time of batch 50 to scheduling engine 30 ...", and Figures 3 and 4 and associated text. Walser discloses determining sizes of full, non-full, split and combined batches.);

- *combining the respective weights of products of the same type that cannot be produced in a full batch into combined batches* (see at least abstract: "A computer-based system (10) for aggregating and scheduling product batches (50) includes a batch aggregation engine (20) that allocates one or more product demands (40) to one or more product batches (50) having suggested sizes and suggested starting times." and column 3, lines 35-43: "All forms of the term "aggregate" should be interpreted to include splitting or dividing a product demand between multiple batches, as well as combining product demands into a batch. In one embodiment, as described more fully below, batch aggregation engine 20 uses mixed-integer linear programming (MILP) to optimize the aggregation of product demands into batches to meet various manufacturing, shipping, customer or other related criteria."); *and*

- *displaying the full and combined batches on a computer display to permit subsequent amendment of the production run, the combined and full batches being supplied to the mixing apparatus according to the production run schedule*

(see at least Fig 1, item 18 – solution output, and associated text).

While Walser teaches batch scheduling of products, Walser does not specifically

disclose the baking industry and the following limitations:

A computer-implemented method of producing a production run schedule of bakery

products, the method including the steps of:

- *in response to inputting the number and type of bakery product to be produced*

  into the computer, determining the dough type and weight of dough of each

  bakery product; organizing each bakery product into a group according to the

  dough type of the bakery product; calculating a total weight of dough for each

  type of bakery product to be produced; calculating the number of full batches that

  can be produced of each type of bakery product, a full batch being based on the

  consumption of whole bags of flour; calculating a weight of dough for each

  bakery product that cannot be produced in a full batch; combining the respective

  weights of dough for bakery products of the same dough type that cannot be

  produced in a full batch into combined batches;

Walser does not disclose batch production and scheduling of bakery products. But

Bush, as shown does:

- *in response to determining the number and type of bakery products to be*

  produced, determining the dough type and weight of dough of each bakery

  product (see at least page 3, paragraph 10: "High-speed mixers knead the dough

  until the action imparts a predetermined amount of energy programmed for each

  recipe. The mixers cycle automatically; each produces the number of doughs

required each day for each product.", page 3, paragraph 6: "Scalers located directly over the mixer, however, control precisely the quantity of important liquid ingredients.", page 3, paragraph 7: "Four to six minor ingredients each feed a central scale and pressure vessel, that conveys those ingredients to a pneumatic blender.", page 3, paragraph 9: "A central scaling system integrated with the blending system keeps three batches in the works. At any given time, one is scaled, one is blended, and one awaits the mixer.", and page 4, paragraph 1: "same high technology prepares doughs for the biscuit plant's cookie and cracker ovens, which, like their counterparts on the bread side, are monitored by an array of sensors and governed by programmable logic controllers.");

- *organizing each bakery product into a group according to the dough type of the bakery product* (see at least page 3, paragraph 9: "Separate blenders feed the bread, roll and hearth lines", and page 4, paragraph 1: "same high technology prepares doughs for the biscuit plant's cookie and cracker ovens, which, like their counterparts on the bread side, are monitored by an array of sensors and governed by programmable logic controllers.");

- *consumption of flour* (see at least page 3, paragraph 1: "If a load of flour were rejected, for example, the plant could not finish the day without a replacement.")

Walser discloses manufacturing planning and optimization by means of batch aggregation and scheduling. Walser allows demand for a product or other item to be aggregated into or split between batches and to be scheduled and discloses product types and sizes. Walser does not specifically disclose a production schedule of

bakery products. Bush, however, discloses batch production of bakery products and

associates bread types with dough, flour, and weight. It would have been obvious to

one of ordinary skill in the art at the time of the invention to apply the aggregation

and scheduling system and method of Walser to the bakery batch production of

Bush in order to more effectively meet customer demand. Per Walser, column 6

lines 64-7 through column 7 line 1-5: "FIG. 3 illustrates an exemplary workflow 100

used in the manufacture, packaging, and shipping of paint, to which the collaborative

batch aggregation and scheduling process 12 of the present invention may be

applied. Although the example described below involves the manufacture,

packaging, and shipping of paint, any other appropriate workflow involving the

aggregation of any product, item, or component into batches may also be optimized

using the present invention." In addition, Per Bush, "Batch sizes are no problem,

says bakery operations manager Gary Tarr. "I can run a different batch size on a few

seconds notice."" (Page 3, paragraph 8) and "Lakeland is truly integrated. In the host

mainframe are stored all the formulas and process parameters to produce 24

different bread varieties, and eventually over 50 cookie variations daily. The same

system receives orders real time from Pepperidge Farm's distributors, and

downloads that information plus process instructions to a production microcomputer

controlling the plant floor." (Page 4, paragraph 3).

Walser, in view of Bush, does not disclose the following limitations, but Lowery does:

- *calculating a total weight of dough for each bakery product to be produced* (see

   at least abstract: "A method for automatically forming dough-based products,

such as doughnuts involves pressurizing a tank containing dough. The dough is

extruded to form a flight of dough-based products. The weight of the flight of

dough-based products is measured. The weight data is transmitted to a

computer. The measured weight is compared to a predetermined weight stored

in the computer memory.");

It would have been obvious to one of ordinary skill in the art at the time of the

invention to calculate the total weight of dough for each bakery product to be

produced, as done by Lowery, and provide the information to the batch aggregation

system of Walser in view of Bush, as doing so more effectively quantifies the

demand of product to be produced in order to meet client needs.

Claim 2:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 1 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the combined batches are full batches* (see at least column 1, lines 54-

    59: "According to one embodiment of the present invention, a computer-based

    system for aggregating and scheduling product batches includes a batch

    aggregation engine that allocates one or more product demands to one or more

    product batches having suggested sizes and suggested starting times." and

    column 2, lines 41-56: "The systems and methods of the present invention

    provide a number of important technical advantages. The present invention

    allows demands for a product or other item to be aggregated into or split between

    batches, while also allowing the batches to be scheduled in a manner that

increases factory throughput and reduces manufacturing costs. According to the

decisions and associated feedback they communicate to one another, the batch

aggregation engine and scheduling engine collaborate to provide a suitable

aggregation and scheduling solution. The present invention is capable of

aggregating batches of variable size across multiple production stages and

computing material flows between these stages. By allowing for variable batch

sizes, the present invention enables the use of a variety of equipment sizes in the

manufacturing process and optimizes the use of each of these equipment

sizes.").

Claim 3:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 1 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the run schedule is amendable to ensure each batch in the schedule is a full batch* (See at least Fig 1, item 16 - user and/or automated input and item 18 – solution output and abstract: "The batch aggregation engine (20) and the scheduling engine (30) may communicate their respective outputs (22, 32) to each other in an iterative cycle until they have collaboratively reached a sufficiently optimal batch aggregation and scheduling solution or until a predetermined number of iterations has been reached.").

Claim 4:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 3 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the number of products is amendable to ensure that each batch in the schedule is a full batch* (See at least Fig 1, item 16 - user and/or automated input and item 18 – solution output and abstract: "A computer-based system (10) for aggregating and scheduling product batches (50) includes a batch aggregation engine (20) that allocates one or more product demands (40) to one or more product batches (50) having suggested sizes and suggested starting times.").

Claim 5:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of claim 2 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the sequence of batches in the schedule is amendable* (See at least Fig 1, item 16 - user and/or automated input and item 18 – solution output, Figure 2 and associated text, and abstract: "A computer-based system (10) for aggregating and scheduling product batches (50) includes a batch aggregation engine (20) that allocates one or more product demands (40) to one or more product batches (50) having suggested sizes and suggested starting times.". Walser discloses orders to be fulfilled at a particular time and batches with suggested start time to meet those demands.).

Claim 6:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of claim 1 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the products of the same type are arranged in consecutive batches* (See at least Fig 1, item 16 - user and/or automated input and item 18 – solution

output, Figure 2 and associated text, and abstract: "A computer-based system

(10) for aggregating and scheduling product batches (50) includes a batch

aggregation engine (20) that allocates one or more product demands (40) to one

or more product batches (50) having suggested sizes and suggested starting

times." Walser discloses placing demands (products type and times) and

producing and scheduling batches to meet those demands.).

Claim 7:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 1 as shown above. Furthermore, Lowry discloses the following limitations:

- *wherein the number of bakery products is multiplied by a weight of dough*

  required to form a single bakery product, thereby calculating a total weight of

  dough for each bakery product (see at least abstract: "A method for automatically

  forming dough-based products, such as doughnuts involves pressurizing a tank

  containing dough. The dough is extruded to form a flight of dough-based

  products. The weight of the flight of dough-based products is measured. The

  weight data is transmitted to a computer. The measured weight is compared to a

  predetermined weight stored in the computer memory." and page 5, paragraph

  0062: "The user interface display 55 may display one or more parameters for an

  operator of the apparatus to view. Examples of such parameters that may be

  displayed include, without limitation: (1) the target product weight (i.e., a

  predetermined weight").

Official Notice is taken that (number of units of target product) x (weight of an

individual unit of target product) = total weight of target product is old and well known
to those of ordinary skill in the art. It would have been obvious to one of ordinary
skill in the art at the time of the invention to calculate the total weight of dough for
each bakery product to be produced, as done by Lowery, and provide the
information to the batch aggregation system of Walser in view of Bush, as doing so
quantifies the demand of product to be produced in order to meet client needs.

Claim 9:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of
claim 1 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the step of displaying the full and combined batches involves displaying*
  the batches graphically (see at least Fig1, item 14 – computer, item 18 – solution
  output, Fig 3, Fig 4, and associated text).

Claim 10:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of
claim 9 as shown above. Furthermore, Walser discloses the following limitations:

- *wherein the graphical display of batches includes graphical identification of*
  products forming each displayed batch (see at least Fig1, item 14 – computer,
  item 18 – solution output, Fig 3, Fig 4, and associated text).

Claims 12-18 and 21-27:

Claims 12-18 and 21-27 recite a system and computer program product for
performing the methods of claims 1, 2, 5, 9 and 10 as above, and are similarly rejected

for reasons given above for the respective claims and claim elements and because

Walser teaches a computer-implemented system.

Claim 19:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 18 as shown above. Furthermore, Bush discloses the following limitations:

- *wherein the baking system also includes baking machinery linked to the*

  computer for control thereby (see at least page 1, paragraph1: "Integrated

  process controls plus automated ingredient and package handling cut waste,

  save time and enable paired Lakeland, Fla., bread and biscuit plants to bake and

  ship the same day. The recipe was for computer integrated manufacturing, and

  Pepperidge Farm project engineer David Watson was the chef." and page 4,

  paragraphs 2 and 3: "Lakeland is truly integrated. In the host mainframe are

  stored all the formulas and process parameters to produce 24 different bread

  varieties, and eventually over 50 cookie variations daily. The same system

  receives orders real time from Pepperidge Farm's distributors, and downloads

  that information plus process instructions to a production microcomputer

  controlling the plant floor. Several PLCs are dedicated to each production line, to

  control oven times and temperatures, proofing times and temperatures, conveyor

  speeds and changeover times--in short, every aspect of bakery production. The

  same PLCs also capture specific process data for relay back to the host

  computer. The entire system communicates using the same protocol; complete

  interconnectivity assures compatibility throughout the plant.").

It would have been obvious to one skilled in the art at the time of the invention

to incorporate the baking machinery disclosed by Bush with the computerized

batch aggregation and scheduling system of Walser because, as stated by Bush,

page 3, paragraphs 4-5: "Accurately controlling and monitoring entire processes

also makes maintenance predictable and reduces waste. Because Lakeland is

computerized and integrated--each system is linked to a host computer—

troubleshooting time is saved and routine maintenance parts ordered "as

needed." Consistent operations yield consistent quality. That goal of computer

integrated manufacturing is ably demonstrated in Lakeland's automatic bulk

handling system.")

Claim 20:

Walser, in view of Bush, and further in view of Lowery discloses all the

limitations of claim 19 as shown above. Furthermore, Bush discloses the

following limitations: *wherein the baking machinery provides feedback to the*

program (page 4, paragraphs 2 and 3: "Lakeland is truly integrated. In the host

mainframe are stored all the formulas and process parameters to produce 24

different bread varieties, and eventually over 50 cookie variations daily. The

same system receives orders real time from Pepperidge Farm's distributors, and

downloads that information plus process instructions to a production

microcomputer controlling the plant floor. Several PLCs are dedicated to each

production line, to control oven times and temperatures, proofing times and

temperatures, conveyor speeds and changeover times--in short, every aspect of

bakery production. The same PLCs also capture specific process data for relay

back to the host computer. The entire system communicates using the same

protocol; complete interconnectivity assures compatibility throughout the plant."),

the feedback comprising information including one or more of the following: (a)

ingredients mixing and loading times expressed as a machine efficiency; (b)

individual batch mixing times; (c) total mixing time; (d) total lead time; (e) total

time to produce a production run; (f) failed production; and (g) amendments

made to the production run. It would have been obvious to one skilled in the art

at the time of the invention to incorporate the baking machinery disclosed by

Bush with the computerized batch aggregation and scheduling system of Walser

because, as stated by Bush, page 3, paragraphs 4-5: "Accurately controlling and

monitoring entire processes also makes maintenance predictable and reduces

waste. Because Lakeland is computerized and integrated--each system is linked

to a host computer—troubleshooting time is saved and routine maintenance

parts ordered "as needed." Consistent operations yield consistent quality. That

goal of computer integrated manufacturing is ably demonstrated in Lakeland's

automatic bulk handling system.")

Claim 28:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 1 as shown above. Furthermore, Bush discloses computer operates the

supply of full and combined batches to the mixing apparatus and controls the

operation of the mixing apparatus according to the production run schedule (page 4,

paragraphs 2 and 3: "Lakeland is truly integrated. In the host mainframe are stored

all the formulas and process parameters to produce 24 different bread varieties, and

eventually over 50 cookie variations daily. The same system receives orders real

time from Pepperidge Farm's distributors, and downloads that information plus

process instructions to a production microcomputer controlling the plant floor.

Several PLCs are dedicated to each production line, to control oven times and

temperatures, proofing times and temperatures, conveyor speeds and changeover

times--in short, every aspect of bakery production. The same PLCs also capture

specific process data for relay back to the host computer. The entire system

communicates using the same protocol; complete interconnectivity assures

compatibility throughout the plant."). It would have been obvious to one skilled in the

art at the time of the invention to incorporate the baking machinery disclosed by

Bush with the computerized batch aggregation and scheduling system of Walser

because, as stated by Bush, page 3, paragraphs 4-5: "Accurately controlling and

monitoring entire processes also makes maintenance predictable and reduces

waste. Because Lakeland is computerized and integrated--each system is linked to a

host computer—troubleshooting time is saved and routine maintenance parts

ordered "as needed." Consistent operations yield consistent quality. That goal of

computer integrated manufacturing is ably demonstrated in Lakeland's automatic

bulk handling system.").

10.   Claim 11 rejected under 35 U.S.C. 103(a) as being unpatentable over Walser et

al (US-PAT-NO: US 6,560,501 B1), in view of Bush et al. (Pepperidge Farm's

"Project Freshness." Integrated process controls plus automated ingredient and

package handling cut waste, save time and enable paired Lakeland, Fla., bread and

biscuit plants to bake and ship the same day; Prepared Foods , v158 , n2 , p122(3);

Feb 1989), in view of Lowry et al (PGPUB-NO: US 2002/0001649 A1), and further in

view of Abriam et al. (US-PAT-NO: US 5,933,353 A).

Claim 11:

Walser, in view of Bush, and further in view of Lowery discloses all the limitations of

claim 1 as shown above. Walser, in view of Bush, and further in view of Lowery

does not disclose the following limitations, but Abriam, as shown, does:

- *wherein the method includes the further step of providing a schematic layout of*

   pieces (see at least abstract: "A job comprising multiple parts in various

   quantities is displayed textually as a job list of parts and quantities. The job is

   also displayed graphically in a scaled layout. In the scaled layout part icons

   corresponding to each of the parts on the job list are superimposed on a work

   piece icon in an arrangement corresponding to a physical part layout … The

   processes also handle the scaling of the work piece icon and parts icon on the

   display in an arrangement corresponding to an actual physical layout for the job."

   and column 2, lines 1-4: "Another object of the invention, is to provide a graphic

   display of a proposed layout for all the selected parts for a job superimposed on

   a background image of the work piece.").

Walser, in view of Bush, and further in view of Lowery disclose a production of

bakery products and further discloses that in their making, dough products are cut

and dropped onto a tray (Lowry, page 1, paragraph 0003). Abriam discloses

computer aided machining, in particular, automated layout of parts for machining of

jobs comprising multiple parts in variable quantities, but does not disclose layout of

dough on baking trays prior to proving or baking. It would have been obvious to one

of ordinary skill in the art to incorporate the graphical job display, on a background

image of the work piece, as taught by Abriam with the bakery production run of

Walser as doing so "...is a way to reduce the skill level associated with layout and

setup of small quantity production runs." (Abriam, column 1, lines 57-59).

Response to Arguments

11. In the Remarks, Applicant argues that amended independent claim 1 now clearly

falls within the scope of statutory subject matter. The Examiner respectfully

disagrees and submits, as seen in the above rejection, the steps of inputting into a

computer, and displaying on a computer display are considered insignificant extra-

solution activity and are not sufficient to pass the test. See *In re Bilski*, 545 F.3d

943, 88 USPQ2d 1385 (Fed. Cir. 2008).

In the "General Comments" section of Applicant's remarks Applicant alleges,

inter alia, that "...the present invention is concerned with producing a production run

schedule of bakery products and includes specific method steps. The Walser

reference at best vaguely discloses batch aggregation. There is no suggestion that

batch aggregation might be applied to producing a production run schedule of bakery products or the claimed methodology. These serious deficiencies are not remedied by the other references. The Bush reference is a media "puff piece" discussing a computer controlled bakery. There is nothing in the Bush reference that would lead a person skilled in the art to recognize that production run scheduling might be improved by a systematic approach including aggregating batches. Further, even once having realized that production run scheduling of bakery products might be improved by such an approach, there is no reason why a person skilled in the art would turn to the Bush reference. Even if considered relevant, there is nothing in the Bush reference that teaches batch aggregation, much less the specific methodology recited in the claims. Thus, the Bush reference suffers the same deficiencies as the Walser reference. The Lowry reference relates to automatically extruding and cutting of dough based products. This reference is not in any way relevant to the present invention and adds nothing. Similarly, the Abriam reference is wholly irrelevant."

While respectfully disagreeing with Applicant's conclusory statements, which are not supported by any factual evidence, the Examiner simply submits that arguments of counsel cannot take the place of evidence in the record, and does not rebut a prima facie case of obviousness. MPEP §2145.

In addition, with respect to claim 1, Applicant argues that combination of Walser and Bush does not disclose 1) a computer implemented method of producing a production run schedule of bakery products, 2) in response to determining the number and type of bakery products, determining the dough type and weight of

dough of each bakery product; 3) organizing each bakery product into a group

according to the dough type of the bakery product; 4) calculating a total weight of

dough for each type of bakery product to be produced; 5) calculating the number of

full batches that can be produced of each type of bakery product, a full batch being

based on the consumption of whole bags of flour, 6) calculating a weight of dough

for each bakery product that cannot be produced in a full batch; 7) combining the

respective weights of dough for bakery products of the same dough type that cannot

be produced in a full batch into combined batches; and 8) displaying the full and

combined batches on a computer display to permit subsequent amendment. The

Examiner respectfully disagrees.

With respect to argument 1, Bush discloses, inter alia, the system receives

orders real time from Pepperidge Farm's distributors, and downloads that

information plus process instructions to a production microcomputer controlling the

plant floor (page 4, ¶ 2), thus indeed disclosing a computer implemented method of

producing a production run schedule of bakery products.

With respect to argument 2, Walser discloses at column 1, lines 54-59:

"According to one embodiment of the present invention, a computer-based system

for aggregating and scheduling product batches includes a batch aggregation engine

that allocates one or more product demands to one or more product batches having

suggested sizes and suggested starting times. Moreover, Walser discloses user

input provided for use in batch aggregation and scheduling, including information

about capacity, set up of equipment, and demands for a product (column 4, lines 26-

37). Walser also discloses a number of pre-mix tanks 110 used to prepare materials used in subsequent stages to mix color(s) of paint (column 7, lines 5-15), thus indeed suggesting that a demand for paint is converted into demand for a paint ingredient. In addition, Bush discloses at page 3, paragraph 6: "Scalers located directly over the mixer, however, control precisely the quantity of important liquid ingredients." As a result, Walser in view of Bush indeed disclose in response to determining the number and type of bakery products, determining the dough type and weight of dough of each bakery product.

With respect to argument 3, Walser discloses a number of pre-mix tanks 110 used to prepare materials used in subsequent stages to mix different colors of paint (column 7, lines 5-15). In addition, Bush discloses at page 4, paragraph 1: same high technology prepares doughs for the biscuit plant's cookie and cracker ovens, which, like their counterparts on the bread side, are monitored by an array of sensors and governed by programmable logic controllers. As such, Walser in view of Bush indeed disclose organizing each bakery product into a group according to the dough type of the bakery product.

With respect to argument 4, Walser discloses at column 13, lines 38-40: Batch aggregation engine 20 outputs the suggested size and time of batch 50 to scheduling engine 30, and a multi-product manufacturing process, including various combinations of fill container size, wherein each stage in the workflow may be considered to place a demand for the "product" from the previous stage, including supply of raw materials (column 7, lines 28-41). Moreover, Lowry discloses the

weight of the flight of dough-based products is measured, and the weight data

transmitted to a computer. As a result, Walser in view of Lowry indeed disclose

calculating a total weight of dough for each type of bakery product to be produced.

With respect to argument 5, Walser discloses a number of pre-mix tanks 110

used to prepare materials used in subsequent stages to mix different colors of paint

(column 7, lines 5-15), including a multi-product manufacturing process, including

various combinations of fill container size, wherein each stage in the workflow may

be considered to place a demand for the "product" from the previous stage,

including supply of raw materials (column 7, lines 28-41). In addition, Bush

discloses at page 3, paragraph 1: If a load of flour were rejected, for example, the

plant could not finish the day without a replacement. As such, Walser in view of

Bush indeed disclose calculating the number of full batches that can be produced of

each type of bakery product, a full batch being based on the consumption of whole

bags of flour.

With respect to argument 6, Walser discloses at column 3, lines 35-43: "All forms

of the term "aggregate" should be interpreted to include splitting or dividing a product

demand between multiple batches, as well as combining product demands into a

batch. In one embodiment, as described more fully below, batch aggregation engine

20 uses mixed-integer linear programming (MILP) to optimize the aggregation of

product demands into batches to meet various manufacturing, shipping, customer or

other related criteria." In addition, Walser discloses a number of pre-mix tanks 110

used to prepare materials used in subsequent stages to mix different colors of paint

(column 7, lines 5-15), including a multi-product manufacturing process, including

various combinations of fill container size, wherein each stage in the workflow may

be considered to place a demand for the "product" from the previous stage,

including supply of raw materials (column 7, lines 28-41). Moreover, Bush discloses

at page 4, paragraph 1: "same high technology prepares doughs for the biscuit

plant's cookie and cracker ovens, which, like their counterparts on the bread side,

are monitored by an array of sensors and governed by programmable logic

controllers." As such, Walser in view of Bush indeed disclose calculating a weight of

dough for each bakery product that cannot be produced in a full batch.

With respect to argument 7, Walser discloses a number of pre-mix tanks 110

used to prepare materials used in subsequent stages to mix different colors of paint

(column 7, lines 5-15), including a multi-product manufacturing process, including

various combinations of fill container size, wherein each stage in the workflow may

be considered to place a demand for the "product" from the previous stage,

including supply of raw materials (column 7, lines 28-41). Moreover, Bush discloses

at page 4, paragraph 1: "same high technology prepares doughs for the biscuit

plant's cookie and cracker ovens, which, like their counterparts on the bread side,

are monitored by an array of sensors and governed by programmable logic

controllers." As such, Walser in view of Bush indeed disclose combining the

respective weights of dough for bakery products of the same dough type that cannot

be produced in a full batch into combined batches.

With respect to argument 8, Walser discloses user input provided for use in batch

aggregation and scheduling, including information about capacity, set up of equipment, and demands for a product (column 4, lines 26-37), and the resulting solution, including a schedule for making a series of product batches of various sizes may be provided to the user as output 18 (column 4, lines 39-44), thus indeed disclosing displaying the full and combined batches on a computer display to permit subsequent amendment.

Lastly, the Examiner respectfully disagrees with Applicant's conclusory allegations with respect to claims 11, 19 and 20, and simply refers Applicant to the rejection of the claims, as seen above.

Conclusion

12.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

13.   Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andre Boyce whose telephone number is (571)272-6726. The examiner can normally be reached on 9:30-6pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Beth Boswell can be reached on (571) 272-6737. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Andre Boyce/
Primary Examiner, Art Unit 3623
January 30, 2009